

# UNITED STATES PATENT AND TRADEMARK OFFICE


UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Vugnia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/963,419	09/27/2001	Michio Ono	Q66438	8980
75	90 07/22/2003			
SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC 2100 Pennsylvania Avenue, NW Washington, DC 20037-3213			EXAMINER	
			MUTSCHLER, BRIAN L	
			ART UNIT	PAPER NUMBER
			1753	13

DATE MAILED: 07/22/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Jakin		$\bigcirc$ —	Application No.	Applicant(s)
	<b>ン</b>		09/963,419	ONO, MICHIO
Office Action Summary			Examin r	Art Unit
		······································	Brian L. Mutschler	
	- Th MAILING DATE of th	nis communication		sh et with th correspond nc address
Period fo				·
THE N - Exter after: - If the - If NO - Failur - Any re	period for reply is specified above, t e to reply within the set or extended	COMMUNICATIOn the provisions of 37 CFF ate of this communication is than thirty (30) days, a he maximum statutory perperiod for reply will, by state three months after the maximum safter the safter s	N. R 1.136(a). In no event, howevereply within the statutory mining iod will apply and will expire Statute, cause the application to be	
1)🖂	Responsive to commun	ication(s) filed on <u>j</u>	<u>13 June 2003</u> .	
2a)□	This action is FINAL.	2b)⊠	This action is non-fin	al.
3)□ Dispositi				mal matters, prosecution as to the merits is 1935 C.D. 11, 453 O.G. 213.
<b>4</b> )⊠	Claim(s) <u>1 and 3-17</u> is/a	re pending in the a	application.	
	4a) Of the above claim(s)	is/are with	drawn from considera	tion.
5)	Claim(s) is/are allo	owed.		
6)⊠	Claim(s) <u>1 and 5-17</u> is/ar	e rejected.		
7)⊠	Claim(s) 3 and 4 is/are o	bjected to.		
8)□	Claim(s) are subje	ect to restriction an	d/or election requirem	nent.
Applicati	on Papers			
, —	The specification is object			
10) 🔲 🗀	The drawing(s) filed on			
_				in abeyance. See 37 CFR 1.85(a).
11) 🗌 -	, ,			d b) disapproved by the Examiner.
	If approved, corrected dra			on.
12) 🔲 -	The oath or declaration is	objected to by the	Examiner.	
. •	nder 35 U.S.C. §§ 119 a			
13)	Acknowledgment is made	e of a claim for for	eign priority under 35	U.S.C. § 119(a)-(d) or (f).
a)[	☐ All b)☐ Some * c)☐	None of:		
	1. Certified copies of	the priority docum	ents have been receive	ved.
	2. Certified copies of	the priority docum	ents have been recei	ved in Application No
* 5		n the International	Bureau (PCT Rule 1)	
14) 🗌 A	cknowledgment is made	of a claim for dom	estic priority under 35	U.S.C. § 119(e) (to a provisional application).
a	☐ The translation of the	e foreign language	provisional applicatio	
Attachmen	c(s)			
1) Notic	e of References Cited (PTO-89) e of Draftsperson's Patent Draw nation Disclosure Statement(s)	ring Review (PTO-948)	5) 🔲	Interview Summary (PTO-413) Paper No(s) Notice of Informal Patent Application (PTO-152) Other:



Art Unit: 1753

### **DETAILED ACTION**

## Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on June 13, 2003 has been entered.

#### Comments

- 1. The rejection of claims 6 and 7 under 35 U.S.C. 112, second paragraph, has been overcome by Applicant's amendment.
- 2. The rejection of claims 1-17 under 35 U.S.C. 103 over Miyasaka has been overcome by Applicant's amendment. As noted in Applicant's response, the device of Miyasaka uses a dye that operates as a proton pump, as opposed to a hole/electron generating device as recited in amended claim 1.

#### Claim Objections

- 3. Claim 1 is objected to because of the following informalities:
  - a. In claim 1 at line 6, please change "adsorbing" to --absorbing--.

    Appropriate correction is required.

pplication/Control Number: 09/963,419

4rt Unit: 1753

# Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1 and 5-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over WO 99/09603, herein referred to as WO '603.

WO '603 discloses a differential response light receiving device comprising two electrode layers 11 and 13 surrounding a photosensitive layer 12 (fig. 1; p. 11, lines 22-30). A doped semiconductor wafer can function as both the substrate 14 and as the electrode 11 (p. 12, lines 19-26). The photosensitive layer 12 comprises a thin sheet of organic semiconducting material using a material such as poly-N-vinylcarbazole doped with a dye "to enhance the photosensitivity in visible spectral range" (p. 14, lines 13-14; p. 16, lines 18-22). The poly-N-vinylcarbazole functions as a hole/electron transport material (p. 16, lines 18-22). WO '603 also discloses that an additive, such as solid state electrolytes, can be added to the active layer 12 to modify and improve the device performance (p. 17, lines 8-27). The absence of a redox species is evidenced by the differential response of the devices, as illustrated by Figures 17 and 18.

Regarding claims 5-7, the device may be used for full-color detection by "splitting a sensor element (pixel) into three subpixels with response to red (600-700 nm), green (500-600 nm) and blue (400-500 nm) (R,G,B) spectral regions" (p. 20, lines 17-21). As shown in Figure 4, the red, green and blue detection regions are arranged in order of

ólication/Control Number: 09/963,419

t Unit: 1753

increasing wavelength. Furthermore, WO '603 discloses that the light can enter from either the substrate side of the device or the side opposite the substrate (figures 1 and 2).

The device of WO '603 differs from the instant invention because WO '603 does not disclose that the dye-sensitized semiconductor device utilizes the electrolyte, as recited in claim 1.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have used an electrolyte with the dye-sensitized semiconductor layer in the device of WO '603 because using an electrolyte can improve the device performance (p. 17, lines 8-27).

6. Claims 8, 16 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over WO '99/09603, as applied above to claims 1 and 5-7, and further in view of Inada et al. (U.S. Pat. No. 4,985,618).

WO '603 describes a differential response device having the limitations recited in claims 1 and 5-7 of the instant application, as explained above in section 5. WO '603 also discloses that the device is hybridizable with other optical or electronic devices (p. 22, lines 12-15).

The device described by WO '603 differs from the instant invention because WO '603 does not disclose a composite light-receiving device comprised of a differential response and a stationary response device, as recited in claim 8, or an image sensor

blication/Control Number: 09/963,419

Art Unit: 1753

comprising a plurality of pixels each comprised of the composite light-receiving device, as recited in claims 16 and 17.

Inada et al. disclose an image sensor comprising plurality of pixels (array) containing a differential response device and stationary response device (fig. 8(C); col. 1, line 57 to col. 2, line 21). The system is used to provide motion-detection capability using the differential response signal to detect edges (col. 2, lines 10-21).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the device of WO '603 to use the differential response device with a stationary response device in a composite light-receiving device or an image sensor as taught by Inada et al. because using a differential response device and a stationary response device allows for motion-detection capabilities and image-sensing capabilities in a unitary device.

7. Claims 10-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over WO '99/09603 and Inada et al. (U.S. Pat. No. 4,985,618), as applied above to claims 8, 16 and 17, and further in view of Ohmori (U.S. Pat. No. 6,300,559).

WO '603 and Inada et al. describe a device having the limitations recited in claims 8, 16 and 17 of the instant invention, as explained above in section 6.

The device described by WO '603 and Inada et al. differs from the instant invention because they do not disclose a dye-sensitized stationary response device having the structural limitations recited in claims 10-12.

Application/Control Number: 09/963,419

Art Unit: 1753

Regarding claims 10-12, Ohmori discloses a dye-sensitized stationary response light-sensitized device having a semiconductor electrode comprised of a transparent electrode **2** and a photosensitive layer comprising a semiconductor **3** sensitized by a dye **4**, an electrolyte layer **5** containing a redox species, and a counter electrode **6** (fig. 1; col. 1, lines 26-37; col. 4, lines 17-24). Both the transparent electrode **2** and semiconductor **3** are made of chalcogenides (col. 2, lines 57-64). The dye-sensitized device has an "enhanced photoelectric conversion" (col. 2, lines 7-10).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the stationary response device in the device described by WO '603 and Inada et al. to use a dye-sensitized stationary response device as taught by Ohmori because the dye-sensitized stationary response device of Ohmori has an enhanced photoelectric conversion.

8. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over WO 99/09603 and Inada et al. (U.S. Pat. No. 4,985,618), as applied above to claims 8, 16 and 17, and further in view of Yu (U.S. Pat. No. 6,300,612).

WO '603 and Inada et al. describe a device having the limitations recited in claims 8, 16 and 17, as explained above in section 6.

The device described by WO '603 and Inada et al. differs from the instant invention because they do not disclose a composite light-receiving device wherein the differential response device and stationary response device are stacked, as recited in claim 9.

Application/Control Number: 09/963,419

Art Unit: 1753

Yu discloses an image sensor made from dye-sensitized semiconductors and electrolytes (col. 10, lines 18-65). A plurality of semiconductor electrodes are used in a stack configuration, with a blue-sensitive electrode, a green-sensitive electrode and a red-sensitive electrode stacked in that order from the light incident side of the electrode (fig. 3A and 3B). The use of a plurality of wavelength-sensitive electrodes allows the device to be responsive to the full-color spectrum, and the stacked array allows the sensing area of each wavelength-sensitive electrode to the total pixel size without absorbing the responsive wavelengths of the other layers (col. 14, lines 8-15).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the differential response device and the stationary response device in the composite light-receiving device described by WO '603 and Inada et al. to use stacked devices as taught by Yu because using stacked devices allows the sensing area of each electrode to be exposed over the entire pixel size.

9. Claims 13-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over WO 99/09603, Inada et al. (U.S. Pat. No. 4,985,618) and Ohmori (U.S. Pat. No. 6,300,559), as applied above to claims 10-12, and further in view of Yu (U.S. Pat. No. 6,300,612).

WO '603, Inada et al., and Ohmori describe a device having the limitations recited in claims 10-12 of the instant invention, as explained above in section 7.

The device described by WO '603, Inada et al., and Ohmori differs from the instant invention because they do not disclose the following:

Application/Control Number: 09/963,419

Art Unit: 1753

- A plurality of semiconductor electrodes in the stationary response device sensitive to different wavelengths, as recited in claim 13;
- b. The plurality of semiconductor electrodes arranged in order of increasing wavelength sensitivity from the light-incident side of the device, as recited in claim 14; and
- c. The plurality of semiconductor electrodes comprising a blue-sensitive electrode, a green-sensitive electrode and a red-sensitive electrode, in that order from the light-incident side, as recited in claim 15.

Yu discloses an image sensor made from dye-sensitized semiconductors and electrolytes (col. 10, lines 18-65). A plurality of semiconductor electrodes are used in a stack configuration, with a blue-sensitive electrode, a green-sensitive electrode and a red-sensitive electrode stacked in that order from the light incident side of the electrode (fig. 3A and 3B). The use of a plurality of wavelength-sensitive electrodes allows the device to be responsive to the full-color spectrum, and the stacked array allows the sensing area of each wavelength-sensitive electrode to the total pixel size without absorbing the responsive wavelengths of the other layers (col. 14, lines 8-15).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the semiconductor electrode in the device described by WO '603, Inada et al., and Ohmori to use a plurality of wavelength-sensitive electrodes including blue-, green-, and red-sensitive electrodes, as taught by Yu, because a plurality of electrodes allows the device to be responsive to the full-color spectrum.

Art Unit: 1753

# Response to Arguments

- 10. Applicant's arguments with respect to claims 1-17 have been considered but are most in view of the new ground(s) of rejection.
- 11. With regard to Miyasaka, Applicant had noted the difference between the photosensitive layer of Miyasaka and the "semiconductor fine particles 21 sensitized by dyes 22" (see page 8 of Applicant's response). It is noted that this difference has not been claimed by the Applicant's.

# Allowable Subject Matter

- 12. Claims 3 and 4 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 13. The following is a statement of reasons for the indication of allowable subject matter: Claims 3 and 4 are distinguished over the prior art of record because they provide a differential response, dye-sensitized device, wherein the dye generates electrons and holes, comprising a metal chalcogenide semiconductor. In the differential response device of WO '603, the active layer 12 comprises a poly-N-vinylcarbazole semiconductor sensitized by a dye.

Art Unit: 1753

# Page 10

### Conclusion

14. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian L. Mutschler whose telephone number is (703) 305-0180. The examiner can normally be reached on Monday-Friday from 8:00am to 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam Nguyen can be reached on (703) 308-3322. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9310 for regular communications and (703) 872-9311 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.

blm

June 27, 2003

NAM NGUYEN
SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 1700